

imageFORMULA P-201

My Personal Scanner Convenience & Comfort Scanning anytime anywhere



The P-201 is a portable scanner for **scanning on the go** of important documents just a plug away. It works with USB Power and extremely light weight delivering true balance between portability and functionality.

Specifications for imageFORMULA P-201

Type	Mobile Scanner	
Scanning Document Size	Plain Paper:	Width: 50.8 to 216mm (2 to 8.5") Length: 70 to 356mm (2.756 to 14")
	Postcard:	Width: 88.9 to 108mm (3.5 to 4.25") Length: 127 to 152.4mm (5 to 6")
	Business card:	Width: 49 to 55mm (1.93 to 2.17") Length: 85 to 91mm (3.35 to 3.58")
	Card (ISO / IEC compliant):	Width: 86mm (3.39") Length: 54mm (2.13")
Document Thickness (Density)	Plain Paper:	52 to 209 g/m ² (14 to 55lb bond) Thickness 0.06 to 0.22mm (0.0024 to 0.0087")
	Postcard:	128 to 300 g/m ² (34 to 80lb bond) Thickness 0.15 to 0.4mm (0.0059 to 0.0157")
	Business card:	128 to 380 g/m ² (34 to 58lb bond) Thickness 0.15 to 0.45mm (0.0059 to 0.0177")
	Card (ISO / IEC compliant):	0.76mm (0.03") or less Up to 1.4mm (0.055") for embossed cards
Document Feeding Method	Automatic	
Scanning Sensor	Contact image sensor	
Light Source	LED	
Scanning Side	Simplex	
Scanning Modes	Black and White, Error Diffusion, 256-level Grayscale, Advanced Text Enhancement II, 24-bit Color	
Scanning Resolution	150 x 150dpi / 200 x 200dpi / 300 x 300dpi / 400 x 400dpi / 600 x 600dpi	
Scanning Speed*	Grayscale Simplex:	200 x 200 dpi 7.5sec/page 300 x 300 dpi 7.5sec/page
	24-bit Color Simplex:	200 x 200 dpi 7.5sec/page 300 x 300 dpi 10sec/page
Interface	Hi-Speed USB 2.0	
External Dimensions (W)	Document	312.5 x 55.5 x 40mm (12.30 x 2.19 x 1.57")

x D x H)	feed tray closed:	
	Document feed tray open:	312.5 x 75.5 x 40mm (12.30 x 2.97 x 1.57")
Weight	Approx. 550g (1.3lb)	
Power Supply	Supply from USB (500mA)	
Power Consumption	When connecting with USB cable:	2.5 W
	Sleep mode:	1.5 W or less
	Power OFF:	0.5 W or less
Noise	Not more than 56dB	
Operating Environment	Temperature:	10°C to 32.5°C (50°F to 90.5°F)
	Humidity:	25% to 80% RH