

 imageFORMULA
CR-50
CR-80

CHECK READER

Canon

Delighting You Always

A New Paradigm of Performance for Check Truncation

The compact, front-counter Canon imageFORMULA CR-50/80 capture MICR data with images of front and back of checks at speeds up to 50 or 80 checks per minute. Each model offers multiple scanning modes and provides fast, reliable, high quality check imaging to prepare your institution for check truncation, electronic check presentment and beyond.



Business *can* be simple

Find out more at www.canon-asia.com

Improve The Bottom Line With Front-Line Efficiencies

With the ideal combination of functionality, size, and speed, the Canon imageFORMULA CR-50/80 check reader excel in front counter or remote capture environments. Each model offers unmatched image quality and reliability for check capture at the first point of presentment.



State-of-the-art Mechanical Design

Maximize Productivity for Limited Workspaces



The CR-50/80 are ideal for teller counters, cashier windows, merchant, or corporate locations. With dimensions of 140 x 223 cm (5.5 x 8.8 in.) and weighing only 2 kg (4.4 lb.), these scanners are easily portable and take up minimal space.

Smooth, Reliable Paper Feeding



Whether scanning mixed batches or single items, the CR-50/80 feature advanced paper handling mechanisms for uninterrupted processing and smooth, reliable operation. An extendable output tray allows the scanner to accommodate larger checks up to 108 x 228 mm (4.2 x 9.0 in). Infrared Double-Feed Detection and Paper Thickness Adjustment capabilities allow for dependable paper feeding and image capture, time and time again.

High-speed Scanning of 50/80 Checks Per Minute



With a duplex scanning rate of 50/80 checks per minute*, the CR-50/80 achieve a new level of speed for compact check scanners.

Designed for Easy Maintenance




The CR-50/80 feature a cover that opens to the side, which makes it easy to clear a misfeed or allows for access to scanning glasses and feed rollers, without exposing or risking damage to sensitive hardware components.

* When reading US personal checks at 200 dpi

Exclusive Canon Technology

Advanced Image Processing Technology

Building on Canon's high-precision optical technology expertise, the CR-50/80 deliver impressive image quality. New advanced image processing technology, Fine Text Filtering, significantly reduces unwanted noise resulting from background colors and images on the checks, allowing the sharper image capture with less distortion, whether it is printed or handwritten. This means better OCR accuracy.



Built-in Imprinter for Pre-scan Endorsements

A built-in, pre-scan imprinter comes standard for printing and capturing important endorsement information to meet audit trail requirements. Maximum character length is 32 characters in a standard 3 mm font or up to 48 characters in a 2 mm font.

Convenient Software and Easy Integration



The CR-50/80 come with the Canon Scanning Utility, an application that provides scanning, file saving, image viewing, printing, and various other functions. Also included are a Canon scanner driver and a driver based on Silver Bullet Technology's Ranger™

Transport API software, allowing the CR-50/80 to be easily integrated into existing systems or used with a wide range of leading check processing software.

High-precision MICR Reading

Equipped with a Canon patented magnetic-head, the CR-50/80 read MICR codeline data with high accuracy for reduced transaction errors. These powerful check scanners support international E13B and CMC7 MICR standards and combine MICR reading with OCR (MOCR) processing to ensure accurate MICR data capture, without compromising speed.



Align

Scan Start

Capture &
MICR Decode

Finish

Finish Your CHECK Scans Quickly & Easily

CR-50/80 Specifications



Type	Sheetfed type check scanner
Document feeding	Automatic sheet feeding
Document size	Width: 54-108 mm (2.13-4.25 in.) Length: 80-228 mm (3.15-8.98 in.)
Document thickness and weight	Normal: 60-120 g/m ² (0.08-0.20 mm, 16-32 lb bond) Infrared double feed detection ON: 81-105 g/m ² (0.10-0.14 mm, 22-28 lb bond)
Feeding Capacity	Maximum 50 sheets or 5 mm (0.2 in) stack height
Scanning element	CMOS CIS
Light source	LED (Red, Green, and Blue)
Scanning side	Simplex/Duplex
Scanning modes	Black and White, Fine text filtering, Error diffusion 4-bit Grayscale, 8-bit Grayscale 24-bit Color
Scanning resolutions	Black and White/Grayscale : 100/120/200/300 dpi, 24-bit Color: 100/120/200 dpi
Scanning speed (US Personal Checks)	CR-50:<200 dpi> Black and White/Grayscale: 50 cpm, Color*: 20 cpm <300 dpi> Black and White/Grayscale: 20 cpm CR-80:<200 dpi> Black and White/Grayscale: 80 cpm, Color*: 30 cpm <300 dpi> Black and White/Grayscale: 30 cpm
MICR/ OCR	MICR: E13B/CMC-7 OCR: E13B/OCR-A/OCR-B
OS	Windows XP 32bit (SP3), 64bit (SP2), Windows Vista 32bit/64bit (SP2), Windows 7 32bit/64bit (SP1)
Interface	Hi-Speed USB 2.0
Useful functions	Infrared double feed detection, Built-in imprinting, Ink level alarm, Four line and dynamic add-on
Power requirements	AC120V (60Hz), AC220-240V (50/60Hz)
Power consumption	Scanning: Less than 21W, Sleep Mode: Less than 5W
Operating environment	10°C-32.5°C (50°F-90.5°F), Humidity: 20%-80% RH
Dimensions (W x D x H)	Tray closed: 140 x 223 x 188 mm (5.5 x 8.8 x 7.4 in.) Tray opened: 140 x 367 x 188 mm (5.5 x 14.4 x 7.4 in.)
Weight (without AC Adapter)	Approx. 2 kg (4.4 lb.)
Options/Consumables	Ink cartridge (for imprinter)

* 200dpi color is converted from optical 200x100dpi.

* Actual scanning speed may vary depending on data transfer time and your system configuration. Specifications are subject to change without notice.

■ Ink cartridges

Two different inks are available for imprinting purposes: Black and Blue. Cartridges are sold separately from the CR-50/80.

■ Energy efficient

This device meets the ENERGY STAR Program guidelines for energy efficiency, meaning it requires less energy and costs less to run.

■ CR-SDK (Software Development Kit)

The CR Software Development Kit (CR-SDK) is available for users who wish to create an application that take advantage of the CR-50/80's array of additional capabilities, which include an add-on function that enables printing on images only, and an image quality assurance (IQA) function that checks image quality, An application can also be developed for the .NET environment.



ENERGY STAR and the ENERGY STAR mark are registered U.S. trademarks.

Other company names and product names appearing in this brochure are the registered trademarks and/ or trademarks of their respective owners.

Canon

Delighting You Always

DEALER'S STAMP

Canon's Sales and Subsidiaries & Business Partners

SINGAPORE

Canon Singapore Pte Ltd
1 Harbourfront Avenue #04-01
Keppel Bay Tower
Singapore 098632
Tel: (65) 6799 8888
Fax: (65) 6799 8882
www.canon-asia.com
www.canon.com.sg

BANGLADESH

Flora Limited
Adamjee Court Annex-2, 4th Fl.
119-120, Motijheel Commercial Area
Dhaka-1000, Bangladesh
Tel: (880) 2 7162742 46 Ext-225
Fax: (880) 2 9550030
www.floralimited.com

BRUNEI

Interhouse Company
P.O. Box 423, Seri Complex BA1779,
Bandar Seri Begawan BF1320
No. 5-7, Bunut Jaya Complex
Spg. 574, Km 7 1/4, Jalan Tutong
Negara Brunei Darussalam
Tel: (673) 2 653001
Fax: (673) 2 653003
www.ihc.com.bn

CAMBODIA

Royal Cambodia Co Ltd
#437 Preah Monivong Blvd
Phnom Penh
Kingdom of Cambodia
Tel: (855) 23 428 955
Fax: (855) 23 722 961
www.royalgroup.com.kh
rcccanon@royalgroup.com.kh

HONG KONG

Canon Hongkong Co., Ltd.
19/F., The Metropolis Tower,
12 Metropolis Drive,
Hunghom, Kowloon, Hong Kong
Tel: (852) 3191 2388
Fax: (852) 2369 3800
www.canon.com.hk

INDIA

Canon India Pvt Ltd.
2nd Floor, Tower A & B
Cyber Greens, DLF Phase III
Guragon - 122002 Haryana, India
Tel: (91) 124 416 0000
Fax: (91) 124 416 0011
www.canon.co.in

INDONESIA

P. T. Datascrip
Kawasan Niaga Selatan Blok B-15
Bandar Kemayoran
Jakarta 10610 Indonesia
Tel: (62) 21 6544515
Fax: (62) 21 6544811 to 13
www.datascrip.com

MALAYSIA

Canon Marketing (Malaysia) Sdn Bhd
Block D, Peremba Square,
Saujana Resort Section U2,
40150 Shah Alam,
Selangor Darul Ehsan, Malaysia
Tel: (60) 3 7844 6000 / 7845 0055
Fax: (60) 3 7844 6196 / 6198
www.canon.com.my

MALDIVES

SIMDI Office Automation /
SIMDI Company Pvt Ltd
G.Faith, Majeedhee Magu, 20-139,
Male', Maldives
Tel: (960) 333 4421
Fax: (960) 333 4424
www.simdi.com
ramieze@simdi.com

MYANMAR

Myanmar Golden Rock International
Co., Ltd
FJV Commercial Centre
Level 6, No. 422-426
Strand Road Botataung Township
Yangon, Myanmar
Tel: (95) 1 202092 to 96
Fax: (95) 1 202079
sales@mrg.com.mm

NEPAL

International Electronics Concern
Pvt Ltd
Kha 14 1st Floor
Haratibhawan Putalisadak
Ramshah Path, Kathmandu,
P.O. Box 12588
Tel: (977) 1 4421911
Fax: (977) 1 4421909

PAKISTAN

Shirazi Trading Co (Pvt) Ltd
8th Floor, Adamjee House,
I.I. Chundrigar Road,
Karachi, Pakistan
Tel: (92) 21 32417659 / 32417737
Fax: (92) 21 32417747 / 32420417 /
32420418
www.shirazitrading.com.pk

PHILIPPINES

Canon Marketing (Philippines), Inc.
Ground Floor Commerce and Industry
Plaza., Campus Ave. cor. Park Ave.,
McKinley Hill, Fort Bonifacio, Taguig
City
Tel: (632) 884 9000
Fax: (632) 894 4174
www.canon.com.ph

SRI LANKA

Metropolitan Computers (Pvt.) Ltd
85 Braybrooke, Place Colombo 2,
Sri Lanka
Tel: (94) 1 2437797
Fax: (94) 1 2448980
www.metropolitan.lk

THAILAND

Canon Marketing (Thailand) Co. Ltd
9th-10th Fl., 179/34-45
Bangkok City Tower
South Sathorn Road
Thungmahamek, Sathorn,
Bangkok 10120
Tel: (66) 2 344 9999
Fax: (66) 2 344 9960
www.canon.co.th
info@canon.co.th

VIETNAM

Canon Singapore Pte Ltd
Ho Chi Minh City Representative
Office
Floor 6, SaiGon Centre Building
65 Le Loi, Ben Nghe Ward, District 1
Ho Chi Minh City, Vietnam
Tel: (84) 8 820 0466
Fax: (84) 8 820 0477
www.canon.com.vn
cvro_eng@canon.com.sg

Hanoi City Representative Office
15 Nguyen Chi Thanh
Hanoi, Vietnam
Tel: (84) 4 771 1677
Fax: (84) 4 771 1678
www.canon.com.vn
cvro_eng@canon.com.sg