

ScanSnap sveod

A New Perspective on Scanning



shaping tomorrow with you

ScanSnap avecc





Redefining what a document scanner can do!

Overhead scanning made simple

Scan newspapers, magazines or books directly without cutting or damaging them.

Preserve delicate documents or books

Some things can't be scanned through a feeder so ScanSnap SV600 operates by taking an elevated view altogether.

Scan business cards to large A3 size (double-letter) documents

ScanSnap SV600 breaks free from typical flatbed limitations by scanning content larger than just letter size. Simply position the document on the A3 scan mat and press scan.

Save time, save effort

Make it an easy job by scanning not only books or magazines but all types of content restrained in binders, spirals, folders, or clear sleeves... just flip the page and scan.

FUĴITSU



VI Technologies (Versatile Imaging)

Combining high quality CCD optics and advanced LED illumination, ScanSnap SV600 uses advanced capture technologies to maximize field of depth and minimize unevenness page after page.





Smooth operation in overhead scanning

ScanSnap SV600 is enhanced with new customized features while continuing the ScanSnap concept:

Simple, Fast and Compact.

Quick Menu saves time!

The Quick Menu pops up after scanning to

allow users a fast and productive way to store, share or transform their scanned data either on the computer or into a favorite cloud service like Evernote or Dropbox.



ScanSnap Receipt™

ScanSnap Receipt allows users to easily scan and extract information from receipts, and export the data into CSV for easy tax filing. ScanSnap Receipt also supports multiple languages and currencies.*

*Supported languages: English, Spanish, French, German, Italian, Russian. Supportedcurrency's: USD (United States Dollar), CAD (Canadian Dollar), GBP (Great Britain Pound), EUR (Euro), RUB (Russian ruble), AUD (Australian dollar)



With an advanced cropping and orientation technology built-in, ScanSnap SV600 can scan several business cards, photos, newspaper clippings and other documents at one time.





Performance matters.

With the touch of the power button, ScanSnap SV600 is ready to scan in just 3 seconds! And with each press of the scan button, a large A3 dimension scan area is captured in less than 3 seconds. Combined with intelligent image correction, great results are just a button push away.

Space-conscious design

Breaking the bounds of typical flatbed scanning, ScanSnap SV600 is easy on space as well as effort.







Easily create your own digital books

ScanSnap SV600 is your ultimate partner to scan books or magazines efficiently.

Step 1: Scan with one button!

Place the book on the mat and press the scan button.

Page Turning Detection – SV600 detects when a page is turned and automatically begins scanning.

Timed Mode – Set a fixed time interval and SV600 scans in real time with you.

Step 2: Auto image correction

Auto Image Correction – Automatically crops, de-skews and sets the orientation of multiple sheets placed on the mat.

Auto Book Correction - Automatically flattens and corrects the curve distortion of books and magazines.

ScanSnap Sync

scanned data.

Quickly and easily synchronize your scanned documents between ScanSnap Organizer on your computer and the ScanSnap Connect App on your mobile device using Dropbox, Google Drive or OneDrive. ScanSnap Sync automatically synchronizes scanned documents between your computer and mobile device, giving you more flexibility to manage your



Book image correctionFlattens and corrects curve distortion.



Point retouch function Fingers captured during scanning can be removed.

















■ General Specifications

Description	Specifications	ScanSnap SV600		
'		Over Head system, simplex scanning		
Scanner type Scanning modes		Color, grayscale, monochrome, Automatic (color, grayscale, monochrome detection)		
Image senso	r	Lens reduction optics / color CCD x 1		
Light source		(White LED + lens illumination) x 2		
Optical resol	ution	Horizontal scanning: 285 to 218 dpi, Vertical scanning: 283 to 152 dpi *1		
	Auto mode *3	"Better mode" or "Best mode": 3 seconds / page		
	Normal mode	Color / Grayscale: 150 dpi, Monochrome: 300 dpi 3 seconds / page *4		
Scanning speed	Better mode	Color / Grayscale: 200 dpi, Monochrome: 400 dpi 3 seconds / page *4		
(A3 landscape)	Best mode	Color / Grayscale: 300 dpi, Monochrome: 600 dpi 3 seconds / page *4		
	Excellent mode	Color / Grayscale: 600 dpi, Monochrome: 1,200 dpi 3 seconds / page *4		
Document size		Automatically recognizes document size, A3(landscape), A4(landscape), A5(landscape), A6(landscape), B4(landscape), B5(landscape), B6(landscape), Post card, Business card, Double Letter(landscape), Letter, Legal(landscape) and Customized size (Max: 432 x 300 mm (17.0 x 11.8 in.), Min: 25.4 x 25.4 mm (1 x 1 in.)) *5		
Document th	ickness	30 mm (1.18 in.) or less		
How to start scanning *6		Select one of the below. 1. Normal scan: Press "Scan" button for every page 2. Timed Interval Scanning (Timed Mode) 3. Page turning detection		
Interface *7		USB2.0 / USB1.1 (connector: B Type)		
Image processing functions		Deskew by text on document, Auto paper size detection, Auto image rotation, Auto color detection, Book image correction *s, Multiple document detection *9		
Magnification in vertical scanning (length)		±1.5%		
Power requirement		AC 100 to 240 V, 50 / 60 Hz		
Power consumption		Operating mode: 20 W or less Sleep mode: 2.6 W or less Auto Standby (Off) mode: 0.4 W		
Operation environment		Temperature: 5 to 35 °C (41 to 95 °F) Relative humidity: 20 to 80 % (Non-condensing)		
Dimensions (WxDxH)		210 x 156 x 383 mm		
Device weight		3 kg (6.613 lb)		
Environmental compliance		ENERGY STAR® / RoHS		
Driver		Specific driver (Does not support TWAIN / ISIS™)		

*1 Optical resolution differs due to different scanning angle on the same document. *2 Scanning speed may vary due to the system environment used. *3 Switch between "Better mode" and "Best mode" depends on the length of the document. A4 (portrait): 200 dp), A6 size or below: 300 dp) *4 Time between actual start of scanning (scanning pad) and finish scanning, *5 For documents of thickness over 5 mm, the maximum document size is 400 × 300 mm. *6 When performing continuous scanning, time is needed for the scanning head to return to its original position. *7 Compatible with USB 3.0 port but connection will run as USB 2.0 speed. *8 Automatically correct distortion caused by the curve of an opened book or magazine. *9 Digitize multiple documents by automatically corporing several documents in one scan.

■ Cleaning Materials

- Oleaning Materials				
Description	Part number	Remarks		
Cleaner F1		100 ml bottle For cleaning the glass, camera, lamp etc of the scanning head.		
Cleaning Wipe	PA03950-0419	1 pack (24 packets) Wet tissue with "cleaner F1". For cleaning the glass, camera, lamp etc of the scanning head.		

■ Software *1	Windows®	Mac OS		
Driver *1 *2	ScanSnap Manager	ScanSnap Manager		
	ScanSnap Organizer	ScanSnap Organizer		
	ScanSnap Receipt	ScanSnap Receipt		
Applications	CardMinder	CardMinder		
Applications	ABBYY FineReader for ScanSnap™	ABBYY FineReader for ScanSnap™		
	Scan to Microsoft® SharePoint®	-		
	Nuance® Power PDF Standard *3	Nuance® PDF Converter for Mac *3		

^{*1} TWAIN or ISIS™ applications cannot be used directly. *2 Image file (JPEG, PDF and searchable PDF) can be generated by "One Touch". The function is operable with ScanSnap Manager (ScanSnap specific driver). *3 Please refer to included license certificate to download the software.

■ ScanSnap SV600 System Requirements

Windows®

Recommended operating systems		Windows® 10 (32-bit / 64-bit) *1	Windows® 8.1 (32-bit / 64-bit) *1	Windows® 7 (32-bit / 64-bit)		
	ScanSnap Manager	Supported	Supported	Supported		
	ScanSnap Organizer	Supported	Supported	Supported		
	ScanSnap Receipt *3	Supported	Supported	Supported*4		
Driver / Applications	CardMinder*3	Supported	Supported	Supported		
*2	ABBYY FineReader for ScanSnap™	Supported	Supported	Supported		
	Scan to Microsoft® SharePoint®	Supported	Supported	Supported		
	Nuance® Power PDF Standard*2	Supported	Supported	Supported*4		
	CPU *6	Intel [®] Core™ i5 2.5 GHz or higher				
Hardware requirements	Memory capacity *6	4 GB or more				
	Display	1,024 pixels o	800 x 600 pixels or higher			
*5	Disk capacity *7	4.2 GB or	disk space			
	DVD-ROM drive	Red	n*8			
	USB port *6 *9	USB 3.0*10 / USB 2.0 / USB 1.1				

*1 Operate as a desktop application. *2 Please reter to the ScanSnap website for the latest support information. *3 Please with the website of the company for download information. https://ceansnap.luisus.com/g-support/en//
*4 Requires Service Pack 1. *5 The ScanSnap device may not work if the connected computer does not meet these requirements. *4 Scanning speeds may drop if recommended CPU, memory capacity and USB 11 requirements are not met. *7 Microsoft. NET Frimework 3.5 EPT will be installed (requires 500 MB of disk space) together with ScanSnap Manager, ScanSnap Organizer or CardMindref for systems that do not have. NET Framework 3.5 EPT installed. When using "Scan to Google Drive" with ScanSnap Manager/ScanSnap Organizer, users also need to install either. NET Framework 4.4 or in-place updates of. NET Framework 4.4 *8 Requires Service Pack 1. *9 ScanSnap operates on but USB 2.0 and USB 3.0 without any difference in performance. *10 Some computers do not recognize the ScanSnap when it is connected to a USB 3.0 port. In this case, please use a USB 2.0 port. *System requirements may change depending on the duration of support and the support policy of the companies that make the software listed in the table above.

Mac OS

Recommended operating systems		macOS v10.12 (Recommended: v10.12.1or later)*2		OS X v10.10		OS X v10.8 (Recommended: v10.8.5 or later)	
Driver / Applications *1	ScanSnap Manager	Supported	Supported	Supported	Supported	Supported	Supported
	ScanSnap Organizer	Supported	Supported	Supported	Supported	Supported	Supported
	ScanSnap Receipt*2	Supported	Supported	Supported	Supported	Supported	Supported
	CardMinder	Supported	Supported	Supported	Supported	Supported	Supported
	ABBYY FineReader for ScanSnap™*3	Supported	Supported	Supported	Supported	Supported	Supported
	Nuance® PDF Converter for Mac *3	Supported	Supported	Supported	Supported	Supported	Supported
	CPU*5	Intel® Core™ i5 2.5 GHz or higher					
Hardware requirements	Memory capacity*5	4 GB or more					
	Display	1,024 x 768 pixels or higher					
	Disk capacity	2.6 GB or more of free hard disk space					
	DVD-ROM drive	Required for installation*6					
	USB port *5 *7		USB3.0*8 / USB2.0 / USB1.1				
k1 Please refer to the ScanSpan website for the latest support information *2 Please visit the website of the compan							

*1 Please refer to the ScanSnap website for the latest support information. *2 Please visit the website of the company for download information. (http://scansnap.fujilsu.com/g-support/en/) *3 Compatibility may differ depending on the softward's version. *4 The ScanSnap padevice may not work if the connected computer does not meet these requirements. *5 Scanning speeds may drop if recommended CPU, memory capacity and USB 1.1 requirements are discovered to the company. (http://scansnap.fujitsu.com/g-support/en/) *7 ScanSnap operates on both USB 2.0 and USB 3.0 without any difference in performance. *8 Some computers do not recognize the ScanSnap papending on the USB 3.0 port. in this case, please use a USB 2.0 port. *System requirements may change depending on the duration of support and the support policy of the companies that make the software listed in the table above.

■ Included items

AC cable
 AC adapter
 USB cable
 Background Pad
 Set-up DVD-ROM
 Extenders (x2)

■ Option

	Part number	Remarks
Background Pad	PA03641-0052	Set in front of the scanner when scanning. * One pad is bundled with the scanner.

This scanner is designed to digitize materials that can be reproduced lawfully, in accordance with applicable copyright regulations and other laws. ScanSnap users are responsible for how they use this scanner. It is imperative that ScanSnap users comply with all applicable local rules and laws, including, without limitation, copyright laws when using this scanner.


*ABBYY and FineReader are trademarks of ABBYY Software, Ltd. which may be registered in some jurisdictions, ABBYY** FineReader** Engine @ABBYY. OCR by ABBYY** *Evernote is a registered trademarks or trademark of Evernote Corporation. **Coogle and Google Drive are registered trademarks or trademarks of Evernote Corporation in the Orbital Corporation and the Corporation are registered trademarks or trademarks of Intel Corporation in the United States and other countries. **ISS*** is a registered trademark of EMC Corporation in the United States and other countries. **ISS*** is a registered trademark of EMC Corporation in the United States and Power Point American Corporation in the United States and OneDrive are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. **Nuance, Power PDF, and PDF Converter are trademarks of Nuance Communications, Inc. and/or its licensors and is used under license. **ScanSnap, ScanSnap logo, ScanSnap Manager, ScanSnap Organizer and CardMinder are registered trademarks or trademarks of FPU LIMITED in Japan. **Cother company names and product names are the registered trademarks or trademarks of the respective companies.





PFU LIMITED, a Fujitsu company, has determined that this product meets the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR® is a registered trademark of the United States.

For more ScanSnap related information, visit our website at : https://scannerworld.in



Be sure to carefully read all safety precautions prior to using this product and use this device as instructed.

Do not place this device in wet, moist, steamy, dusty or oily areas. Using this product under such conditions may result in electrical shock, fire or damage to this product.

Specifications are subject to change without notice.



ScannerWorld

(A div. of Alchemist Softwares Pvt Ltd)
For Sales: sales@alchemistsoftwares.com
For Support: support@alchemistsoftwares.com
Phone:+91 (20) 4130 2020, +91 84080 00266,
+91 99230 54123